TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG
MONTHLY SUMMARY
(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE ISLAND LIGHT STATION , NEWPORT, R.I. MONTH OF APRIL, 1962

SUPPLIES (*Light Station Only*)

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	2860		290	17	10,000		
EXPENDED	580		40	00	200		
REMAINING	2280		250	17	9,800		

SUMMARY OF OPERATION (*Low Visibility, Fog and Calibration*)

	FOG SIGNAL	RADIO BEACON LOW VISIBILITY	RADIO BEACON REGULAR CALIBRATION	RADIO BEACON SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,813.40 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	54.45 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,868.25 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(*Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked*)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16585			X		
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
GULL ROCKS L/STATION	547	GOOD	NONE

(*Use Other Side if Necessary*)

CERTIFIED TO BE CORRECT
Bobby G. McWilliams
Bobby G. McWilliams, BM1
(*Officer in Charge*)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

Boat NO# 16585 is in poor condition was noted on Safety Board Letter of 26 April 1962. This unit was advised to that Boat should be taken to Boat Yards for bids and bids sented to District,so that it may be repaired.

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE April 1 1962 Sun, (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2978		40	OZ	NS	10	7		
0400	S	3	2969		42	OZ	NS	10	7		
0800	S	4	2956		44	FR	NS	10	5		
1200	S	4	2954		50	FR	NS	10	5		
1600	S	4	2554		48	FR	NS	10	6		
2000	S	4	2954		44	FR	NS	10	3		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2860	19	6200
EXPENDED	20	—	200
REMAINING	2840	19	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH	1	
Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished Cont. Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0420	2130	17	00	15
TOTAL FOR DAY		17	00	
TOTAL FOR MONTH		17	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N

L G White

0400 - 0800

0400 Checked Vis A/N
0420 Started Fog Horn & Gull Rks Bell

L G White

0800 - 1200

0800 Colors
0805 Turn To

L G White

1200 - 1600

1200 Chow
1300 Turn To

L G White

1600 - 2000

1600 Checked Vis A/N
1800 Colors

L G White

2000 - 2400

2000 Checked Vis A/N.
2130 Secured Fog Horn & Gull Rks Bell
2200 Received P020300Z

L G White

~~0600~~ - 0700

~~0000~~

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon. 2 April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2968		40	OZ	NS	6	7		
0400	SW	3	2976		44	BC	AS/ST	3	8		
0800	SW	3	2988		46	BC	AS/ST	2	8		
1200	SW	4	2992		48	BC	AS/ST	3	8		
1600	SW	4	29.90		50	BC	ASST	3	8		
2000	SW	3	29.90		46	BC	ASST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2840	19	6000
EXPENDED	20	0	200
REMAINING	2820	19	5800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH	1	
Liberty	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		0	0	
TOTAL FOR MONTH		17	05	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 - checked Vis A/N

L.G.White

0400-0800

0400 Checked Vis A/N
0600 Secured Main Light

L.G.White

0800-1200

0800 Colors
0805 Turn To Station Work

L.G.White

1200-1600

1200 Chow

1230 Held Drill

1300 Turn To Station Work

L.G.White

1330 Adams SN Returned from Liberty.

1600 Secured station work.

1600-2000

1800 Main Light in operation
1800 Evening Colors.
2000 checked all a/n.

2000-0000

2000 - checked all a/n.
2030 costel Hotel called said main light not showing properly. checked four Red lenses had sliped down. fix same.
2035 Main Light not showing properly.
2200 checked all a/n.
0000 - checked all a/n

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tues. 3. April 1962 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.50		40	BC	ASST	3	8		
0400	N	2	25.50		41	BC	ASST	3	8		
0800	NE	2	30.02		49	BC	ASST	2	8		
1200	SW	3	30.39		52	BC	ASST	2	8		
1600	W	1	30.40		41	BC	ASST	2	8		
2000	W	1	30.44		40	BC	ASST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2820	19	5,800
EXPENDED	20	–	200
REMAINING	2800	19	5,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH	1	
LIBERTY	1	
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		0	0	
TOTAL FOR MONTH		17	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- 0400

0000 Checked all a/n

B. G. McWilliams

0400- 0800

0400 checked all a/n.
0430 Recived P 030808Z Lower S.C.W.
0600 Main light Secured.

0800 morning colors.

B. G. McWilliams

0800- 1200

0800 checked all nis a/n.
0800 Turned too station work.
1100 Schute EN2 departed on liberty.
1730 Secured for chow.

1200- 1600

1200 checked all a/n
1300 Turned too.
1600 Secured from station work

1600- 2000

1600 Checked all a/n.
2000 checked all a/n

Bobby G. McWilliams

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wed 4, April 1962 LOCATION Newport. R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3050		36	B	-	-	8		
0400	SW	2	3051		39	B			8		
0800	SW	3	3052		44	B			8		
1200	SW	3	3054		50	B			8		
1600	SSW	4	30.40		46	B			8		
2000	SSW	3	30.39		40	BC	AST	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2800	19	5,600
EXPENDED	20	–	200
REMAINING	2780	19	5,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH	1	
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		17	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Checked ALL A/N

0400 Checked ALL A/N

Bobby G McWilliams

0400-0800

0400 - Checked ALL A/N

0600 Secured MAIN Light

0800 MORNING colors

Bobby G McWilliams

0800 - 1200

0805 TURN TOO STATION WORK.

1200 Secured FOR Chow.

Bobby G McWilliams

1200-1600

1230 16ft Boat Departed FOR Newport To pick up Godamski FA. (Reporting Back FORM Hospitle

1300 Checked ALL A/N

1230 - Boat Returned To STATION.

1400 - TURN TO STATION WORK

1600 Secured SATION WORK

Bobby G. McWilliams

1600- 2000

1600 Checked all a/n

1800 main light in operation

1800 Evening Colors.

Bobby G. McWilliams

2000 - 2400

2000 - checked all a/n

2200 checked all a/n

2400 checked all a/n

Bobby G. McWilliams

CERTIFIED TO BE CORRECT

Bobby G. McWilliams BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thur 5 April 1962 LOCATION NewPort, R.I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3040		40	BC	ASST	2	8	—	—
0400	SW	3	3044		44	BC	ASST	2	8	—	—
0800	Calm		3050		50	BC	ASST	2	8	—	—
1200	SW	3	3040		68	BC	AS/ST	2	8		
1600	SW	3	3030		64	BC	AS/ST	2	8		
2000	SW	3	3034		58	BC	ASST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2780	19	5,400
EXPENDED	20	-	200
REMAINING	2760	19	5,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
2 Beety	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only) RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		17	00	1	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Checked ALL A/N

B. G. McWilliams

0400 Checked ALL A/N

0600 Secured Main Light

B. G. McWilliams

0800 - 1200

0800 - Morning colors

0805 Turned too

1100 White EN2 Returned From Liberty

McWilliams BG BM1 departed on Liberty

1200 - 1600

1200 Chow

1230 Drill

1300 Turn To

L G White

1600 - 2000

1600 Checked Vis A/N

1630 Secured Station work Changed Main Light

1800 Turned on main Light

1815 Colors

L G White

2000 - 2400

2000 North Shoal - Rose Island #12 Lighted Buoy Ext.

2100 Received P060110Z from Castle Hill L|B|S Notice to Mariners

2300 McWilliams off Liberty

CERTIFIED TO BE CORRECT

Bobby G. McWilliams

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Fri 6, 1962 April (Insert day of week, day, month, year) LOCATION New Port, R. I

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3040		40	BC	ASST	2	8	—	—
0400	SW	2	3043		45	BC	ASST	2	8	—	—
0800	SW	2	3045		54	BC	ASST	2	8	—	—
1200	SW	2	3035		56	BC	ASST	2	8	—	—
1600	SW	2	3030		50	BC	ASST	2	8	—	—
2000	SW	2	3040		52	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2760	19	5200
EXPENDED	20	-	300
REMAINING	2740	19	4900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		17	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N vis & w/p except Rose Is. North Shoal ext.

0400-0800 S. M. Adams SN

0400 All A/N vis & w/p, except Rose Is. North Shoal lighted bell buoy #12

0600 Secured Main Light

0800-1200 S. M. Adams SN

0800 Colors

0805 Turned to station work

0930 McWilliams Departed on Liberty in 16585

1000 16585 Arrived station

L G White

1200-1600

1200 chow

1230 Held Drill

1300 Turn To

1400 Reported Floating object to castle Hill

1500 16585 Departed Newport

1510 CG 30402 Arrived station

1530 16585 Arrived with McWilliams BM-1

1550 CG 30402 Departed station

L G White

1600-2000

1600 checked Vis A/N

1630 Secured station Work

1800 Turned on Main Light

1815 colors

S. M. Adams SN

2000-2400

2000 All A/N vis & w/p

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 7th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3044		44	BC	ASST	3	7	—	—
0400	SW	2	3030		46	BC	ASST	3	7	—	—
0800	SW	2	3020		52	BC	ASST	3	7	—	—
1200	SW	3	3005		56	BC	NS	4	7	—	—
1600	SW	4	3090		54	BC	NS	6	7	—	—
2000	SW	5	2980		48	BC	NS	8	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2740	19	4900
EXPENDED	20	–	300
REMAINING	2720	19	4600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL					RADIOBEACON								
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		17	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545—1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N vis & W/P

0400-0800 S. M. Adams SN

0400 All A/N vis & W/P

0600 Secured Main Light

0800-1200 S. M. Adams SN

0800 Colors

0805 Turned to

0900 ADAMS SN. Departed on Liberty in 26585

0940 Gadomski FA Return with 66585

1030 Received P071420Z

LJ White

1200-1600

1200 Chow

1300 Station Inspection

1310 Turn To

LJ White

1600-2000

1600 checked Vis A/N

1630 Secured Station Work

1800 Turned on Main Light

1810 colors

LJ White

2000-2400

2000 checked Vis A/N

LJ White

CERTIFIED TO BE CORRECT

Bobby G McWilliams

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 8th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	2976		42	F-R	NS	10	1		
0400	SW	2	2978		42	F-R	NS	10	1		
0800	SW	2	2980		48	F-R	NS	10	1		
1200	SW	1	2978		52	FZ	ASST	8	5		
1600	NW	1	2974		50	BC	NS	8	7		
2000	NW	1	2970		46	BC	NS	8	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2720	19	4600
EXPENDED	20	—	200
REMAINING	2700	19	4200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 1200 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	1200	12	00	15
TOTAL FOR DAY		12	00	15
TOTAL FOR MONTH		29	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 STARTED FOG Bell AND Gull Rocks

Bobby G. McWilliams

0000-0400

0400 Checked ALL A/N None vis due To Fog.

Bobby G. McWilliams

0400-0800

0600 Checked ALL A/N None vis. due To Fog

0800 Checked ALL A/N None vis.

Bobby G. McWilliams

0800-1200

0800 MORNING Colors
0805 Turn To
0900 McWilliams Departed STATION To Boston TAD.

1200-1600 L G White

1200 chow
1300 Turn To

L G White

1600-2000

1600 Checked Vis. A/N
1630 Secured STATION Work
1800 Turned on Main Light
1812 Colors

L G White

2000-2400

2000 Checked Vis A/N

L G White

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 9 April 1962 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	1	29.71		41	FR	NS	8	7		
0400	SW	2	29.74		49	C	NS	8	7		
0800	SW	2	29.78		53	C	NS	8	7		
1200	SW	3	29.81		60	B/C	AS/ST	5	8		
1600	SW	1	2974		57	O/ZR	NS	10	7		
2000	SW	2	2976		54	O	NS	10	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2700	19	4200
EXPENDED	20	–	30
REMAINING	2680	19	3900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
TAD	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0530	1915	3	45	15
~~1915~~				
TOTAL FOR DAY		3	45	
TOTAL FOR MONTH		32	45	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 CHECKED U/S a/m

W. Sadowski

0400 - 0800

0400 CHECKED U/S a/m
0600 SECURED MAIN LIGHT

W. Sadowski

0800 - 1200

0800 CHECKED U/S a/m COLORS
0805 TURN TO STATION WORK

W. Sadowski

1200 - 1600

1200 CHECKED U/S a/m
1215 WHITE EN-2 DEPARTED FOR MOORINGS IN CG-16585
1245 White EN-2 & Adams SN ~~departed~~ ~~and~~ moored station
1250 White EN-2 departed for Castle Hill 4B/S in CG 16585
1445 White EN-2 Arrived STATION with 16585

L. G. White

1600 - 2000

1600 checked U/s A/N
1630 Secured STATION work
1750 Turned on Main Light Fog Horn & Gull RKs. Bell
1820 Colors
1915 SECURED FOG SIGNAL & GULL ROCKS BELL

L. G. White

2000 - 2400

2000 checked U/s A/N
2330 Received P100356Z

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 10th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WSW	3	2974		50	BC	ASST	2	8	—	—
0400	WSW	3	2972		42	BC	ASST	2	8	—	—
0800	W	5	2966		54	BC	ASST	2	8	—	—
1200	W	5	2970		55	BC	ASST	2	8	—	—
1600	W	5	2984		55	BC	ASST	2	8	—	—
2000	W	4	2986		58	B	~~ASST~~	0	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2680	19	3400
EXPENDED	20	–	300
REMAINING	2660	19	3600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
TAD	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY			—	
TOTAL FOR MONTH		32	45	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N o/s & w/p

0400-0800 SoMoAdams SN

0400 All A/N o/s & w/p

0545 Secured Main Light

0800-1200 SoMoAdams SN

0800 Colors, All A/N o/s & w/p

0805 Turned to station work

1000 Received P1014247 from Castle Hill L/B/S Hoist S/C WARNING

1145 Chow down

1200-1600 SoMoAdams SN

1200 All A/N o/s & w/p

1300 Turned to station work

1600-2000 SoMoAdams SN

1600 All A/N o/s & w/p

1615 Secured station work ~~Replaced Main Light~~

1800 Main Light on, Replaced main Light

2000-2400 SoMoAdams SN

2000 All A/N o/s & w/p

2100 Received P1101347 From Castle Hill L/B/S Lower S/C WARNING

SoMoAdams SN

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 11th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	2990		46	BC	ASST	2	8	—	—
0400	W	2	2996		55	BC	ASST	2	8	—	—
0800	Calm		3006		60	BC	ASST	2	8	—	—
1200	SW	2	3004		62	BC	ASST	2	8	—	—
1600	SW	2	3010		55	BC	ASST	2	8	—	—
2000	SW	2	3014		52	BC	ASST	2	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2660	19	3600
EXPENDED	20	—	300
REMAINING	2640	19	3300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH TAD	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		32	45	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N u/is & watching properly

0400-0800 S. M. Adams SN

0400 All A/N u/is & watching properly
0545 Secured Main Light

0800-1200 S. M. Adams SN

0800 Morning colors, All A/N u/is & watching properly
0805 Turned to station work
0915 Adams SN departed station enroute Castle Hill L|B|S for supplies, enroute moorings for mail in CG-16585
1100 Adams SN moored station in CG-16585 with supplies & mail
1145 Chow down

1200-1600 S. M. Adams SN

1200 All A/N u/is & watching properly
1230 Held drill
1300 Turned to station work

1600-2000 S. M. Adams SN

1600 All A/N u/is & watching properly
1620 CG 16585 departed station with White EN-2 enroute Moorings for liberty
1650 CG 16585 moored station with McWilliams BM-1 off TAD from Boston

2000-2400 S. M. Adams SN

2000 All A/N u/is & watching properly

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 12th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3008		56	BC	ASST	2	8	—	—
0400	SW	2	3010		60	BC	ASST	2	8	—	—
0800	SW	2	3012		62	BC	~~B~~ASST	2	8	—	—
1200	SW	2	3016		63	C	AS	6	8	—	—
1600	N	2	3014		64	C	AS	6	8	—	—
2000	N	2	3006		50	C	AS	6	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2640	19	3300
EXPENDED	-20	-	-300
REMAINING	2620	19	3000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
~~[illegible]~~ Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		32	45	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N vis & w/p

0400-0800 S. M. Adams SN

0400 All A/N vis & w/p
0545 Secured Main Light

0800-1200 S. M. Adams SN

0800 Colors, All A/N vis & w/p
0805 Turned to station work
1145 Chow down

1200-1600 S. M. Adams SN

1200 All A/N vis & W/P
1230 Held drill
1300 Turned to station work

1600-2000 S. M. Adams SN

1600 All A/N vis & w/p
1615 Secured station work
1700 All A/N vis & w/p
1805 Main Light on
1822 Colors

2000-2400 S. M. Adams SN

2000 All A/N vis & w/p

S. M. Adams SN

2140 Recvd P. weather
P130222Z Hoist S/C. WARNING

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 13th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WNW	2	2965		40	OR	NS	10	6	—	—
0400	WNW	2	2960		43	OR	NS	10	6	—	—
0800	WNW	2	2950		40	OR	NS	10	6	—	—
1200	WNW	2	2944		46	O	NS	10	7	—	—
1600	Calm		2946		48	O	NS	10	7	—	—
2000	Calm		2948		46	O	NS	10	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2620	19	3000
EXPENDED	20	—	300
REMAINING	2600	19	2700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1800	1900	1	—	
TOTAL FOR DAY		1	—	
TOTAL FOR MONTH		32	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400 S. M. Adams SN

0000 All A/N v.i.s & w/p

0400-0800

0400 All A/N v.i.s & w/p

0545 Secured Main Light

0800-1200 S. M. Adams SN

0800 Colors, All A/N v.i.s & w/p

0805 Quarters, Turned too station work

1145 Chow down

1200-1600 S. M. Adams SN

1200 All A/N v.i.s & w/p

1230 drill

1300 Turned too

1600-2000 S. M. Adams SN

1600 All A/N v.i.s & w/p

1615 Secured From work

1710 CG 30402 Arrived this unit with white EN2

1800 Main Light on, All A/N v.i.s & w/p

1720 CG 30402 Departed for Castell Lill Lab.

1800 Started Fog Bell Also Goll Rocks

1900 Secured Fog Sig. & Goll Rocks Bell

2000-2400

2000 All A/N v.i.s & w/p

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 14th Saturday April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	2940		36	BC	ASST	2	8	—	—
0400	NW	3	2942		37	BC	ASST	2	8	—	—
0800	NW	3	2944		41	BC	ASST	2	8	—	—
1200	NW	3	2952		47	BC	ASST	3	8	—	—
1600	NW	3	29.60		44	BC	ASST	2	8	—	—
2000	NW	3	2964		39	BC	ASST	3	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2600	19	2700
EXPENDED	20	–	300
REMAINING	2580	19	2400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	–	
TOTAL FOR MONTH		33	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N U/S & W/P

0400-0800

0400 All A/N U/S & W/P
0545 Secured Main Light

0800-1200

0800 All A/N U/S & W/P, COLORS

W. Hadowski

1200-1600

1200 CHECKED ALL U/S A/N
1230 Held Drill
1300 Turn too station work,
1545 C.G. 30402 arrived this unit to pick up Adams S.N. for 48hr. Liberty.
1550 U.S.C.G 30402 Departed for Eistell Hill LBS.
1600 Secured Station work.

1600-2000

1600 Checked all A/N.

Bobby G McWilliams

2000-2400

2000 Checked all U/S A/N.

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 15th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	2964		37	BC	ASST	3	8		
0400	W	2	2968		39	BC	AST	3	8		
0800	S	3	2970		46	BC	asst	3	8		
1200	NE	2	29.66		48	C	NS	7	6		
1600	NW	2	29.64		46	BC	Asst	7	8		
2000	NW	3	29.60		44	BC	asst	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2580	19	2400
EXPENDED	20	—	300
REMAINING	2560	19	2100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT		

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		23	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 - Checked all vis a/m

Bobby G McWilliams

0400 - 0800

0400 Checked all vis a/m.

0545 Secured ~~the~~ main Light.

Bobby G McWilliams

0

0800-1200

0800 morning Colors.

Bobby G McWilliams

1200-1600

1200 Checked all a/m

1600 - 2000

1600 Checked all a/m

1800 Turned on Main Light

Bobby G. McWilliams

2000-0000

2000 - Checked all a/m

CERTIFIED TO BE CORRECT

Bobby G McWilliams

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 16th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNW	3	2966		39	BC	NS	5	7	—	—
0400	NNW	3	2968		40	BC	NS	5	7	—	—
0800	NNW	2	2980		42	BC	NS	5	7	—	—
1200	NW	2	29.82		48	BC	NS	5	7	—	—
1600	NW	2	29.84		45	C	NS	7	7	—	—
2000	NW	2	29.86		43	C	NS	7	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2560	19	2100
EXPENDED	20	-	300
REMAINING	2540	19	1800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		33	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

Checked vis A/N

L.G. White

0400 - 0800

0400 Checked vis A/N
0545 Secured Main Light

L.G. White

0800 - 1200

0800 Colors
0805 Turn To station Work

W. Sadowski

1200 - 1600

1200 CHECKED OIS a/n CHOW
1300 Turn to STATION WORK

W. Sadowski

1600 - 2000

1600 CHECKED VIS a/n
1730 Adams SN returned off 48hrs. liberty in USCG 30402
1735 USCG 30402 departed station
1800 main Light in operation.

Bobby L. McWilliams

2000 - 0000

2000 Checked all a/n

CERTIFIED TO BE CORRECT

Bobby L McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

Digital Surrogate of NARA Original Record - NND 988096

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 17th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.90		40	BC	asst	4	8	—	—
0400	NW	2	29.94		38	BC	asst	4	8	—	—
0800	NW	2	30.00		42	BC	asst	4	8	—	-
1200	NW	2	30.02		45	BC	ASST	4	8	—	—
1600	NW	2	30.02		46	BC	ASST	4	8	—	—
2000	NW	2	30.00		49	BC	ASST	4	8	—	.

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2540	19	1800
EXPENDED	20	—	300
REMAINING	2520	19	1500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
LIBERTY	1	
PRESENT	4	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		33	45	—

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all a/m

Bobby G. McWilliams

0400-0800

0400 Checked all a/m
0540 Secured main light.

Bobby G McWilliams

0800-1200

0800 Morning colors.
0805 Turn too station work.
1145 Chow

1200-1600

1200 All A/N vis & w/p
1300 Turned to
1315 CG16585 departed station with Gadomski FA on 48hrs liberty
1330 CG16585 moored station

1600-2000 S. M. Adams SN

1600 All A/N vis & w/p
1800 Main Light in operation
1830 Colors
1900 called Castle Hill Gull RKs. Ext.

2000-2400 S. M. Adams SN

2000 All A/N vis & w/p except Gull RK's Light
2300 Received P-180256Z and P180334Z
+1900 Gull RK's bell on due to extinguished Light will Relight ASAP

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 18th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WSW	2	3002		40	B	—	—	8	—	—
0400	WSW	2	3004		43	B	—	—	8	—	—
0800	WSW	2	3006		46	B	—	—	8	—	—
1200	WSW	3	3002		42	B	—	—	8	—	—
1600	SSW	3	2994		44	BC	AS/ST	3	8	—	—
2000	SSW	3	2996		45	BC	AS/ST	3	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2520	19	1500
EXPENDED	20	—	300
REMAINING	2500	19	1200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only) · RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		~~33~~	~~4~~	15	TOTAL FOR DAY								
TOTAL FOR MONTH		33	45		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N u/s except Gull RK'S light extinguished
will relight ASAP

0400-0800 S. M. Adams SN

0400 All A/N u/s except Gull RK'S Light extinguished
will Relight ASAP
0545 Secured Main Light

0800-1200 S. M. Adams SN

0800 Colors, Quarters - Turned to station work
1000 Received P181445Z from Castle Hill L/B/S
Gull RK'S Light now watching properly
1015 CG16585 departed station with M^c Williams BM-1
enroute moorings
1145 Chow down

1200-1600 S. M. Adams SN

1200 All A/N u/s & w/p, T M^c Williams BM-1 arrived this unit
1300 Turned to station work

1600-2000

1600 checked u/s A/N
1630 Secured Station Work
1830 Colors

2000-2400 S. M. Adams SN

2000 All A/N u/s & w/p

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 19th April 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	Calm		2999		40	BC	AS/ST	2	8	—	—
0400	Calm		2997		45	BC	AS/ST	2	8	—	—
0800	Calm		2998		50	BC	AS/ST	2	8	—	—
1200	Calm		2990		52	BC	AS/ST	2	8	—	—
1600	SW	2	2994		53	BC	AS/ST	2	8	—	—
2000	SW	2	2998		48	BC	AS/ST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2500	19	1200
EXPENDED	-20	—	-300
REMAINING	2480	19	900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only) | RADIOBEACON (Low visibility and calibration time only)

FOG TIME START	FOG TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY		—	—		TOTAL FOR DAY								
TOTAL FOR MONTH		33	45	15	TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N vis & w/p

0400 - 0800 S. M. Adams SN

0400 All A/N vis & w/p
0545 Secured Main Light

0800-1200 S. M. Adams SN

0800 Colors, All A/N vis & w/p - Turned to
0900 CG 16585 departed station with White EN-2 on liberty enroute Castle Hill for Godomski FA off liberty, enroute moorings for supplies
1145 CG 16585 moored station with Godomski FA & supplies off 48 hrs liberty

1200-1600 S. M. Adams SN

1200 All A/N vis & w/p, Chow down
1230 drill period
1300 Turned to

1600-2000 S. M. Adams SN

1600 All A/N vis & w/p, Secured work
1800 Colors

Bobby G McWilliams

2000-0000

2000 checked all vis a/m

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 20th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	29.96		44	BC	as/st	3	7	—	—
0400	NW	3	29.98		50	BC	as/st	3	7	—	—
0800	NW	3	30.02		54	Bc	as/st	3	7	—	—
1200	NW	3	30.04		54	BC	AS/ST	3	7	—	—
1600	NW	3	30.06		51	BC	AS/ST	3	7	—	—
2000	NW	3	30.05		50	BC	AS/ST	3	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2480	19	900
EXPENDED	-20	—	-300
REMAINING	2460	19	600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0545 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0300	0800	5	00	15
TOTAL FOR DAY		8	00	15
TOTAL FOR MONTH		38	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all vis a/n
0300 Started fog Bell a/c Gull rocks.
0700 fog.

Bobby G McWilliams

0400-0800

0500 fog.
0800 Secured fog Bell a/c Gull rocks.

0800-1200

0800 morning colors.
1200. Secured for chow.

Bobby G McWilliams

1200-1600

1230 16585 departed to pick up mail Adams SN in boat
1500 16585 Returned to station with mail and Adams S.N.

S. M. Adams SN

1600-2000

1600 Secured For chow, All A/N vis & w/p
1700 All A/N vis & w/p
1800 Main Light in Operation
1830 Colors

S. M. Adams SN

2000-2400

2000 Checked All A/N vis & w/p

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 21st April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	E	1	3008		40	BZ	AS/ST	2	8	—	—
0400	E	1	3009		44	BZ	AS/ST	2	8	—	—
0800	E	1	3018		56	BZ	AS/ST	2	8	—	—
1200	NE	1	3012		64	BC	AS/ST	2	8		
1600	SE	1	3008		59	BC	AS/ST	2	8		
2000	SE	2	3004		52	BC	AS/ST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2460	19	600
EXPENDED	-20	-	300
REMAINING	2440	19	300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		34	48	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All A/N vis & w/p

0400-0800 S. M. Adams SN

0400 All A/N vis & w/p
0530 Secured Main Light

0800-1200 S. M. Adams SN

0800 Colors - Quarters, Turned to
1045 McWilliams Departed station with 16585
1120 White Retorn station with 16585

1200-1600 L. G. White

1200 Chow
1215 ADAMS Departed station with 16585 for Mail & Cleaners
1320 ADAMS Retorn station with 16585 Turn to station work

L. G. White

1600-2000

1600 Checked vis A/N
1630 Secured station work
1800 Turned on Main Light
1820 Colors

L. G. White

2000-2400

2000 Checked vis A/N

L. G. White

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 22nd April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	3000		48	BC	AS/ST	3	7		
0400	SW	3	2998		42	BC	AS/ST	3	7		
0800	SW	3	2994		44	BC	AS/ST	3	7		
1200	SW	3	2982		48	BC	AS/ST	3	7		
1600	SW	3	2970		56	BC	AS/ST	3	7		
2000	SW	3	2966		59	BC	AS/ST	3	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2440	19	300
EXPENDED	20	-	300
REMAINING	2420	19	000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		34	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked vis A/N

0400-0800

0400 Checked vis A/N
0530 Secured main light
0600 Received P221040Z Hoist S/c warnings
0645 Received P-221126Z " " "

0800-1200

0800 Colors Holliday Routine Easter Day
1145 Chow down

1200-1600

1200 All A/N vis & W/P

1600-2000 S. M. Adams SN

1600 All A/N vis & W/P
1800 Main light in Operation
1830 Colors

2000-2400 S. M. Adams SN

2000 All A/N vis & W/P

S. M. Adams SN

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 23rd April 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WSW	2	2960		54	BC	AS/ST	2	8	—	—
0400	WSW	2	2955		52	BC	AS/ST	2	8	—	—
0800	WSW	2	2950		69	BC	AS/ST	2	8	—	—
1200	WSW	5	2944		65	BC	AS/ST	2	8	—	—
1600	WSW	5	2970		58	BC	AS/ST	5	8	—	—
2000	WSW	3	2986		52	BC	AS/ST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2420	19	—
EXPENDED	-20	-	—
REMAINING	2400	19	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		34	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 All A/N vis & w/p

0400 - 0800 S. M. Adams SN

0400 All A/N vis & w/p

0530 Secured Main Light

0800 - 1200 S. M. Adams SN

0800 Colors. Quarters, Turned to

L G White

1200 - 1600

1200 Chow down, All A/N vis & w/p

1230 Held Drill

1300 Turn To

1320 ADAMS SN. Departed Station on CG 30402 on Liberty

1345 McWilliams BM-1 Arrived Station with CG 30402 off Liberty

L G White

1600 - 2000

1600 Checked Vis A/N

1630 Secured Station Work

1800 Turned on Main Light

L G White

2000 - 0000

2000 Checked Vis A/N

2030 Received R-240035Z fkw

L. G. White

CERTIFIED TO BE CORRECT

Bobby G. McWilliams

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 24th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WNW	3	2988		50	BC	as/st	3	8		
0400	WNW	3	29.88		48	BC	as/st	3	8		
0800	WNW	4	2990		52	BC	as/st	2	8		
1200	WNW	4	29.88		55	BC	as/st	2	8		
1600	WNW	4	2998		54	BC	as/st	2	8		
2000	WNW	2	30.06		51	BC	as/st	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2400	19	—
EXPENDED	20	—	—
REMAINING	2380	19	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty		
PRESENT		

MAIN LIGHT Time Extinguished 0530 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		0	0	
TOTAL FOR MONTH		34	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all vis a/n

Bobby G McWilliams

0000 - 0400

0400 Checked all Vis a/n.

Bobby G McWilliams

0800 - 1200

0800 Morning colors. Checked all vis a/n.

0800 Turn too station work.

1130 Secured for chow.

1200 - 1600

1200 Checked all a/n

1300 Turn too station work.

Bobby G McWilliams

1600 - 2000

1600 Checked all vis a/n

1800 Main Light in operation.

1815 Evening colors.

Bobby G. McWilliams

2000 - 0000

2000 Checked all vis a/n

2105 Recived P.W. P240146 Z Lewes 3.W.

CERTIFIED TO BE CORRECT

Bobby G McWilliams

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 25th April 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3000		48	BC	AS/ST	2	8		
0400	SW	2	2994		46	BC	AS/ST	3	8		
0800	WSW	4	2986		48	BC	AS/ST	2	8		
1200	WSW	5	2936		51	BC	AS/ST	4	8		
1600	WSW	4	29.74		54	BC	AS/ST	4	8		
2000	ENE	1	3006		40	BC	AS/ST	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2380	19	—
EXPENDED	20	+	—
REMAINING	2360	19	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty		
PRESENT	3	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		34	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked Vis A/N

L H White

0400-0800

0400 Checked Vis A/N
0500 Turned out Main Light
0630 Received P251130Z

L H White

0800-1200

0800 Colors
0805 Turn To

L H White

1200-1600

1200 Chow
1230 Held Drill
1300 Turn To Station Work

L H White

1600-2000

1600 Checked Vis A/N
1615 Notified Castle Hill Metal Cylinder on Beach not Able To Identifie Castle Hill will send message.
1710 Received P252130Z About Object on Beach
1745 Navy Topedo Chase Boat 84 Moored Station Object on Beach Identified as M-14 Topedo Noterfied Castle Hill of same
1800 Turned on Main Light
1815 Navy Boat Departed Station
1920 Received P260010Z

L H White

2000-2400

2000 Checked Vis A/N

L H White

CERTIFIED TO BE CORRECT

Bobby G. McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 26Th April 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	ENE	1	3008		38	BC	AS/ST	2	8		
0400	E	1	3012		37	BC	AS/ST	2	8		
0800	E	1	3014		51	BC	AS/ST	2	8		
1200	SSE	2	3010		53	BC	AS/ST	2	8		
1600	SE	2	30.08		54	BC	AS/ST	2	8		
2000	SE	2	30,06		50	BC	AS/ST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2360	19	—
EXPENDED	20	—	—
REMAINING	2340	19	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty		
PRESENT		

MAIN LIGHT Time Extinguished 0500 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
2300	2400	1	00	15
TOTAL FOR DAY		1	00	15
TOTAL FOR MONTH		35	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0400

0000 Checked Vis A/N

L G White

0400 – 0800

0400 Checked Vis A/N Received P260822 Z Lower Small Craft

0500 Secured Main Light

L G White

0800-1200

0800 Colors

0805 Turn To

0830 Navy Boat 90 Arrived Station

1040 Navy Boat 90 Departed Station With Topedo Air flask in Tow

1130 CG 64309 ARRIVED AT STATION with GAS AND

New TANK. ALSO ADAMS. SN RETURNED FROM 48 hrs. LIBERTY.

1200-1600 L G White

1200 CG-64309 Departed STATION.

1205 Secured FOR Chow.

1300 turned too station work.

1600 secured station work.

Bobby G McWilliams

1600-2000

1600 checked all a/n

1800 main light in operation.

2000 checked all a/n all vis

2100 Started Fog Horn and Gull Rks. Bell

Bobby G McWilliams

CERTIFIED TO BE CORRECT

Bobby G McWilliams

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 27th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSE	2	3004		44	F/O	NS	10	1		
0400	SSE	2	3002		40	F/O	NS	10	4		
0800	SSW	2	3000		62	BC	ASST	5	4		
1200	SSE	3	3000		66	BC	AS/ST	5	7		
1600	SSE	3	29.94		54	BC	AS/ST	6	7		
2000	SSE	4	29.96		50	BC	AS/ST	6	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2360	19	—
EXPENDED	20	—	—
REMAINING	2340	19	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1815

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	0500	5	00	15
TOTAL FOR DAY		5	00	
TOTAL FOR MONTH		40	45	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked Vis A/N

0400 - 0800

Checked Vis A/N

0500 Secured Main Light Fog Horn and Gull Rks Bell

0800 - 1200

0800 - Check Vis A/N Colors

0805 Turn To

0930 CG 16585 Departed For Newport, with Godomski F.A. And White EN2, White EN2 On Liberty 48 hr.

1030 C.G 16585 Returned To Unit With Godomski F.A. And chow, And Mail.

1115 Received S.W.C. P 271540Z

1200 Secured for chow.

Bobby G. McWilliams

1200 - 1600

1200 checked all a/n and vis.

1230 turn to station work.

1600 Secure station work.

Bobby G McWilliams

1600 - 2000

1600 checked all vis a/n.

1800 main Light in operation.

1815 Evening Colors.

Bobby G McWilliams

2000 - 0400

2000 checked all a/n and vis

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

CERTIFIED TO BE CORRECT

Bobby G McWilliams

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 28th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	3	29.96		49	BC	as/st	6	7		
0400	SSW	3	29.98		50	BC	as/st	6	7		
0800	SSW	4	30.00		52	BC	as/st	4	7		
1200	SSW	4	30.00		58	BC	as/st	6	7		
1600	SSW	4	29.96		54	BC	AS/st	6	7		
2000	SW	3	29.96		50	BC	as/st	6	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2340	19	—
EXPENDED	20	—	—
REMAINING	2320	19	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
liberty	1	
PRESENT	3	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1830

FOG SIGNAL (Low visibility only)					RADIOBEACON (Low visibility and calibration time only)								
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
2315	0000	—	45										
TOTAL FOR DAY			45		TOTAL FOR DAY								
TOTAL FOR MONTH		41	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 checked all a/n and vis.

Bobby G McWilliams

0400 - 0800

0400 checked all a/n and o.k.
0500 main light secured.
0530 Recived P. 2809562
0700 call crew

Bobby G McWilliams

0800 - 1200

0800 morning colors,
0805 Turn too station work.
1200 Secured for chow

Bobby G. McWilliams

1200 - 1600

1200 CHECKED VIS a/n
1300 Turned too station work.
1600 Secured station work.

Bobby G McWilliams

1600 - 2000

1600 checked all a/n
1815 main Light in operation, all vis a/n o.k.
1830 Evening colors.

Bobby G McWilliams

2000 - 0000

2000 checked all vis a/n
2315 Started fog signal also Gull Rocks
2400 Secured fog signal and Gull Rocks for this log date.

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 29th April 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	3	29.96		49	OF	NS	10	2	—	—
0400	SW	2	2998		46	OF	NS	10	2	—	—
0800	SW	2	3000		48	OF	NS	10	2	—	—
1200	SW	2	3001		57	OF	NS	10	2	—	—
1600	SW	2	30.02		57	BC	as/st	7	7		
2000	SW	2	30.6		54	BC	as/st	7	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2320	19	—
EXPENDED	20	—	—
REMAINING	2300	19	—

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
Liberty	1	
PRESENT		

MAIN LIGHT Time Extinguished 0530 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	1415	13	15	
TOTAL FOR DAY		41	30	
TOTAL FOR MONTH		54	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Started fog signal and also Gull Rocks

0200 Set clocks ahead one (1) hour.

0400 - 0800

0400 All A/N not vis

J. McAdams SN

0800 - 1200

0800 Colors, turned to

1015 Now operating on Auxillary power

1045 Back on Shore power

1045 White EN2 call in Castell Hill LBS can't bring him out.

J. McAdams SN

1200 - 1600

1200 Chow, Holiday Routine

1415 Secured Fog Signal also Gull Rocks, and main light

Bobby G McWilliams

1600 - 2000

1600 Checked all vis a/n

1915 main light inspection, checked all a/n

Bobby G McWilliams

2000 - 2400

2000 Checked all vis a/n

2215 Received Notal 292306Z

CERTIFIED TO BE CORRECT

Bobby G. McWilliams

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Mon 30, April 1962 LOCATION New Port
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.10		50	BC	as/st	2	7		
0400	SW	2	30.12		50	BC	as/st	3	7		
0800	NW	2	30.17		48	BC	as/st	4	7		
1200	NW	2	30.14		50	BC	AS/ST	5	7		
1600	NW	2	30.09		46	BC	AS ST	4	7		
2000	NW	2	30.02		42	BC	AS/ST	2	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2300	19	10000
EXPENDED	20	—	200
REMAINING	2280	19	9800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	2	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000- Checked all vis a/n

Bobby G McWilliams

0400- 0800

0400 checked all vis a/n
0615 Main light out.
0800 Morning colors.

0800-1200

0805 Turn too station work.
0845 Station Boat No# 16585 departed for Newport to pick up White EN2 (with permission of Chief Watt of Castle Hill LBS.
1045 WABL 403 ARRIVED TO deliver WATER,
1155 Recived M 272054 Z/22

Bobby G McWilliams

1200-1600

~~1200~~ - 1600

1200 Secured FOR Chow,
1230 Turn too,
1330 WABL Departed
1330 Checked ALL vis A/N
1600 Secured station work

Bobby G McWilliams

1600-2000

1600 Checked all vis a/n.
1930 Main light inspection
1940 Evening Colors.

Bobby G McWilliams

2000-2400

2000 Checked all vis a/n.

CERTIFIED TO BE CORRECT

Bobby G McWilliams
(Officer in Charge)